## TGRESS OUTRIGGERS & GEAR

Chips Ahoy Charters Capt. Chip Sheehan • @chipsahoycharters 2019 Saltwater Slam Champions

&

ΓR


GGERS

#### 2020 CATALOG

A Division of Eastern Metal Supply

SCALES

ZUK



2020 CATALOG



#### MISSION

G

88

SPORTFISHIN

Since our inception, our mission has been to raise the bar for innovation, quality, ease of use, and convenience on the products we offer to the salt water sport fishing enthusiast.

All aluminum outriggers are constructed of cold drawn aluminum for maximum strength and durability. We then use a state of the art anodizing process to protect and color-enhance them. Every accessory is constructed of the highest quality materials to give the maximum service and life. Tigress uses only 300 series stainless or 316 Stainless Steel in every rod holder and outrigger holder.

We continue to expand our offerings of fine products and accessories making the Tigress product line of outriggers and gear the standard of quality and excellence.


#### CONTENTS

NEW FOR 2020	2
MOUNTS	6
OUTRIGGERS	10
OUTRIGGING KITS	15
OUTRIGGING ACCESSORIES	16
ROD HOLDERS	18
ROD HOLDER ACCESSORIES	22
KITE ROD HOLDERS & CLUSTERS	24
KITES	26
KITE ACCESSORIES	28
MARINE HARDWARE	30
PIPE SIZE CHART	33



#### **NEW FOR 2020**

OUTRIGGERS & GEAR



#### XD POSEIDON DREDGE BOOM NEW

PART	LENGTH	COLOR
88433	7'	BLACK/SILVER

- Allows smaller center consoles to fish like bigger boats
- Out pulls any other dredge on the market
- 7' black fiberglass boom
- 3/0 Folbe heavy-duty block pulley
- Ideal for LP or Hooker electric reels
- 316 stainless steel hardware
- Comes with 14' nylon safety tether with 316 stainless steel carabineer

#### DREDGE KIT NEW



- 50 yards of 400lb Momoi Outrigger Mono
- 500 lb stainless dredge dog swivel
- 29 mm Harken Carbo Air Block
- 2" spring gate snap
- Sleeve crimps

#### DREDGE BOOM SAFETY TETHER

<b>PART</b> 88446
-------------------

- 14' nylon safety tether with 316 stainless steel carabineer
- for use with XD Poseidon Dredge Boom or big game trolling rods









#### **NEW FOR 2020**



#### XD FLAG POLES NEW

- Gimbal butt makes flying in any rod holder a breeze
- Made of anodized aluminum
- Easy to store
- Fits standard 1-5/8" rod holders

PART	DESCRIPTION
88410	<ul> <li>42" ROD HOLDER FLAG POLE</li> <li>HOLDS TWO 12" SANDBAR FLAGS</li> <li>OR ONE 20"X24" DIVE FLAG</li> </ul>
88411	<ul> <li>• 54" ROD HOLDER FLAG POLE</li> <li>• HOLDS 36" X 60" SANDBAR FLAG OR 20" X 24" DIVE FLAG</li> </ul>

# BASE

#### PORTABLE CLEATS NEW

- Constructed of anodized aluminum
- Perfect for holding a fender at the sandbar, using as an extra cleat, or using as a hose holder while washing your boat
- 36' Portable Cleat is ideal for transom cross tie

PART	ANGLE	SIZE
88412	10°	15" TALL WITH 9" CLEAT
88413	10°	36" TALL WITH 9" CLEAT

#### SHORE POWER CORD HOLDER NEW



- 15° bent butt
- Perfect for holding your shore power cord or hose while cleaning boat.
- Easily stowable, portable, and great for travel
- Constructed of anodized aluminum
- Fits standard 1-5/8" rod holders

TIGRESS



#### LIPPED INSERTS NEW

PART	DESCRIPTION	COLOI
88152-8	FOR 10" FLARED ROD HOLDER	WHITE
88152-9	FOR 10" FLARED ROD HOLDER	BLACK

• Protective lip protects top of rod holder and also protects your spinning gear





**MOUNTS** 





#### XD TOP MOUNT NEW

#### PART 88850

- For use on sport fishing boats up to 40 feet
- Unique invertible Tigress handle design for use on both soft and hard tops over 2" thick
- Accepts all Tigress XD 1-1/2" butt diameter outriggers and XD 1-1/8" butts using adapter
- Fits Tigress and other industry standard 4" x 6" mounting plates (four 5/16" diameter fasteners)
- Extreme-duty 316 Stainless Steel and anodized aluminum and sealed construction with UV protection
- 24 adjustable/locking system positions (15° increments)featuring Tigress XD 316 Stainless Steel design
- 19 upper-arm angle/locking positions (10° increments) using
- 3-Year Limited Warranty

- Tigress XD 316 Stainless Steel detent design with ambidextrous horizontal stops
- outrigger elevation
- Ergonomic 316 Stainless Steel mirror-polished lever design with inverting ability for extra hand clearance on the thickest tops.
- User friendly underside lever actuation, with 8 optional indexable set-up positions
- outriggers
- Fits through all standard 3" diameter mounting plates and hard top holes • Sold as pair

#### XD CENTER RIGGER TOP MOUNT NEW

PART 88860

- For use on sport fishing boats up to 40 feet
- Accepts all Tigress XD 1-1/8" butt diameter center riggers
- 19 upper-arm angle/locking (@10 deg.) using Tigress XD 316 Stainless Steel tooth locking design with horizontal stops
- Large 'XD' Aluminum 12mm thick baseplate with four corner mounting
- Extreme-duty 316 Stainless Steel and anodized aluminum construction
- Ambidextrous mounting option to accommodate the side the tri-lobe knob is positioned on

- outriggers' elevation
- 3-Year Limited Warranty

- Large 3-lobe UV ergonomic knob with integral detent feature when changing
- Standard ¼" diameter locking stainless steel push-in-pin for

• ¼" through x 4.050" x 2.625" 4-bolt pattern • Standard ¼" diameter stainless steel locking push-in-pin for outriggers • Large 3-lobe UV ergonomic knob for changing and locking the

#### **TIGERSHARK**

#### PART

• The first electronically operated top mount outrigger holder offered in the market

88800

- Meticulous engineering provides exact electronic deployment of your outriggers from your console
- The powerful 12V motor drive allows for the total deployment and/or adjustment by simply pressing the switch up for deployment or pressing the switch down for retrieval of your outriggers
- Fits all prepared T-Tops with 3" mounting hole



- Mounting plate size: 4" W x 6" L
- Includes 12' of wire from each holder • Units are supplied with a standard dual
- rocker switch panel • When activated simultaneously, it raises and deploys your outriggers to the fishing position
- Convenience, craftsmanship, quality and performance makes the TigerShark a top selection for the sports-fisherman



#### TIGERSHARK III

#### PART

- Features a bottom mounted crank assembly for ease of deployment
- Simultaneous up and out motion eliminates climbing the gunnels to adjust your outriggers

88805

• Allows for the lowest profile under your T-Top or Hard Top of any top mount outrigger holder in the industry



#### 1-1/2" MANUAL TOP MOUNT DESIGNED FOR HARD TOPS AND SOFT TOPS

- Simply push up on the handle to release the gears and turn 14 to 17 times to complete deployment of your outrigger then simply pull handle down to lock into place
- Fits all prepared T-Tops with 3" mounting hole and fits Hard Tops up to 2-1/2" thick



#### MANUALLY ADJUSTABLE ANTENNA/ **RUNNING LIGHT MOUNT**

PART

- Features a bottom mounted crank assembly for ease of deployment fore and aft
- Simply push up on the handle to release the gears and turn 12 times to complete deployment of your antenna/running light mount- then simply pull handle down to lock into place

88810

- Adjustable up or down motion eliminates climbing the gunnel to adjust your antenna/running light mount
- Fits all prepared T-Tops with 3" mounting hole and fits Hard Tops up to 2-1/2" thick









pipe of your T-Top and clamp on.

#### PATENT #7,296,377



PART	CLAMP	HOLDER
88965	1-5/16″	1-1/8"
88966	1-11/16″	1-1/2"
88967	1-15/16″	1-1/2"

#### **ROD HOLDER/ OUTRIGGER HOLDER**

- Put absolutely no more holes in your T-Top or the gunnel of your boat
- Simply place into your existing heavy duty cast stainless rod holder when outriggers are needed
- When outriggers are not in use, simply remove holders and your existing cast rod holder is usable again

#### PATENT #7,296,377

PART	BASE	TUBE	HOLDER
88968	1-5/8″	16″	1-1/8″
88969	1-5/8″	16″	1-1/2″

#### **CENTER RIGGER** HOLDER

PART	88150

- Clamp-on center rigger holder
- 1-5/16" IPS pipe clamp with 1-1/8" holder

SAS D	MATERIAL	SIZE	GUNNEL MOUNT
est	FABRICATED 304	1-1/8" ID	88500
FABRICATED	CAST 316	1-1/8" ID	88502
11 11	CAST 316	1-1/2" ID	88506
	· ·		
	MATERIAL	SIZE	SIDE MOUNT
	FABRICATED 304	1-1/8" ID	88504
	CAST 316	1-1/8" ID	88505
CAST 316	CAST 316	1-1/2" ID	88508
BASE TUBES			
	MATERIAL	SIZE	REPLACEMENT TUBE
A CONTRACT OF A	CAST BASE	1-1/8" ID	88501
CUT BASE	CUT BASE	1-1/8" ID	88503
TUBES	CAST BASE	1-1/2" ID	88507
~			



GAG.	MATERIAL	SIZE	GUNNEL MOUNT
en en	FABRICATED 304	1-1/8" ID	88500
FABRICATED	CAST 316	1-1/8" ID	88502
11	CAST 316	1-1/2" ID	88506
	MATERIAL	SIZE	SIDE MOUNT
a a a	FABRICATED 304	1-1/8" ID	88504
	CAST 316	1-1/8" ID	88505
CAST 316	CAST 316	1-1/2" ID	88508
BASE TUBES			
	MATERIAL	SIZE	REPLACEMENT TUBE
A.C.	CAST BASE	1-1/8" ID	88501
CUT BASE	CUT BASE	1-1/8" ID	88503
	CAST BASE	1-1/2" ID	88507

#### **BACKING PLATES**

- Gunnel mount and side mount backing plates
- Made of heavy gauge stainless steel
- Sized for cast outrigger holders only






#### PLEASE USE WITH PART # AS FOLLOWS:

<b>GUNNEL MOUNT</b>	SIDE MOUNT
88502-1 with 88502	88505-1 with 88505
88506-1 with 88506	88508-1 with 88508



















## 88932 OOMP-

## Simply drill 1/4" hole into the IPS schedule

## 50





#### **WISHBONE** HOLDERS

LARGE SIDE MOUNT OUTRIGGER HOLDERS

- Constructed of heavy cast 316 Stainless Steel with 18" polished stainless steel tube
- For extrusions



PART	OD	ID
88510	2″	1-7/8″
88511	1-5/8″	1-1/2″

#### **OUTRIGGER HOLDERS AND REPLACEMENT TUBES**

#### **T-TOP ALUMINUM WELD-ON EXTRUSIONS**

• All backing & mounting plates are pre-drilled for installation

• All mounting holes are 3"



Г	LENGTH	WIDTH	HEIGHT
2	5'	6.5″	0.25″
-20	20'	5.516″	1.25″
-30	30'	5.516″	1.25″

#### **TOP MOUNT WEDGES**

Angular adjusting wedges to straighten the top mount in installation allow for less stress on the top and smoother deployment of your outriggers.



PART	DEGREE
88934	7°
88936	9°
88938	11°

#### **OUTRIGGERS**

OUTRIGGERS & GEAR



### • For use on sport fishing boats up to 40 ft.

- Patented Tigress Track<sup>®</sup> Internal Tracking System, now with dual-tracks for increased tube strength and guiding alignment
- Larger tube diameters and wall thicknesses for increased strength and durability
- Anodized cold draw tubes inside and out for maximum protection from corrosion
- Double-locking and polished 316 Stainless Steel push-buttons on the lower tube sections for less 'hole wallowing'
- Includes a handy, heavy duty mesh storage bag
- Redesigned rings and tips

#### Patent #7,025,015 B2

PART	LENGTH	BASE OD	COLOR
88923	15'	1-1/8"	SILVER
88923-1	15'	1-1/8"	BLACK
88924	15'	1-1/2"	SILVER
88924-1	15'	1-1/2"	BLACK
88925	18'	1-1/2"	SILVER
88925-1	18'	1-1/2"	BLACK

#### **XD 3K CARBON FIBER** TELESCOPING OUTRIGGERS NEW

- For use on sport fishing boats up to 40 feet
- Patented Tigress Track<sup>®</sup> Internal Tracking System
- 3K carbon fiber woven finish
- Retracts to under 6' for trailering, bridges and storage
- 316 Stainless Steel polished eyelets
- Redesigned rings and tips
- Lightest telescoping outrigger in the industry
- UVI thermoplastic butt sleeves to fit all Tigress top mounts
- Includes a handy, heavy duty mesh storage bag
- 1-Year Limited Warranty
- Sold as pair

#### Patent #7,025,015 B2

PART	LENGTH	BASE OD	COLOR
88679	18'	1-1/2"	MATTE BLACK/BLACK
88679-1	18'	1-1/2"	MATTE BLACK/SILVER
88679-3	21'	1-1/2"	MATTE BLACK/BLACK
88679-4	21'	1-1/2"	MATTE BLACK/SILVER

#### XD TELESCOPING ALUMINUM OUTRIGGERS

• 316 Stainless Steel polished eyelets

- UVI marine grade thermoplastic internal bushings for trouble free sliding operation
- Double ¼" cross-holes in the butt ends in much thicker wall in anodized aluminum for the push-in-pin
- UVI thermoplastic butt sleeves to fit all 1-1/2" top and center rigger mounts
- Retracts to under 6' for trailering, bridges

• 3-Year Limited Warranty

and storage

• Sold as pair









#### **XD 3K CARBON FIBER TELESCOPING** CENTER OUTRIGGER NEW

**BASE OD** 

1-1/8"

• For use on sport fishing boats up to 40 feet • Retracts to under 6' for trailering, bridges

LENGTH

8'

- Patented Tigress Track<sup>®</sup> Internal Tracking System
- 3K carbon fiber woven finish
- and storage
- 316 Stainless Steel polished eyelets
- Redesigned rings and tips

COLOR

BLACK

• Double-locking and polished 316

smooth through centers

operation

for the push-in-pin

Stainless Steel push-buttons on the lower

316 Stainless Steel polished eyelets with

tube sections for less 'hole wallowing'

• UVI marine grade thermoplastic internal

• Double ¼" cross-holes in the butt ends in

much thicker wall in anodized aluminum

bushings for trouble free sliding



• UVI thermoplastic butt sleeves to fit all Tigress top mounts

• UVI thermoplastic butt sleeves to fit all top and center rigger mounts

• Retracts to under 5' 5" for trailering,

• Includes a handy, heavy duty mesh

- Includes a handy, heavy duty mesh storage bag
- 1-Year Limited Warranty

bridges and storage

• 3-Year Limited Warranty

storage bag

#### **XD** TELESCOPING ALUMINUM CENTER OUTRIGGERS • Redesigned rings and tips

- For use on sport fishing boats up to 40 ft.
- 1-1/8" butt OD

PART

88679-2

- Patented Tigress Track® Internal Tracking System, now with dual-tracks for increased tube strength and guiding alignment
- Larger tube diameters and wall thicknesses for increased strength and durability
- Anodized cold draw tubes inside and out for maximum protection from corrosion

#### Patent #7,025,015 B2

PART	LENGTH	BASE OD	COLOR
88921	8'	1-1/8"	SILVER
88921-1	8'	1-1/8"	BLACK
88922	12'	1-1/8"	SILVER
88922-1	12'	1-1/8"	BLACK

#### **TELESCOPING FIBERGLASS OUTRIGGER**

- An economical alternative to aluminum outriggers for 18' to 28' boats
- 15' telescoping, three-section, heavy duty fiberglass outriggers feature heavy line guides for easy rigging
- Includes a vinyl bag for storage
- Retracts to less than 6'

TIGRESS

PART	LENGTH	BASE OD	COLOR
88200	15'	1-1/8"	WHITE/BLUE

#### **FIXED ALUMINUM OUTRIGGER**

- Constructed of heavy duty anodized aluminum with nylon guide assembly and stainless steel line guides
- Four section, screw together assembly with black anodized aluminum tip

PART	LENGTH	BASE OD	COLOR
88220	15'	1-1/8"	SILVER/BLACK







<ul> <li>XD Top Mot</li> <li>XD Tigress</li> <li>Premium rig</li> </ul>	unt Track® telescoping of		NEW	
PART	MOUNT	OUTRIGGER	<b>RIGGING KIT</b>	
88824	XD TOP MOUNT	15' SILVER XD	ELITE	
88824-1	XD TOP MOUNT	15' BLACK XD	ELITE	0
88825	XD TOP MOUNT	18' SILVER XD	ULTIMATE	
88825-1	XD TOP MOUNT	18' BLACK XD	ULTIMATE	and the second sec
88679-00	XD TOP MOUNT	18' CARBON FIBER B/B XD	ULTIMATE	
88679-01	XD TOP MOUNT	18' CARBON FIBER B/S XD	ULTIMATE	

#### XD CENTER RIGGER SYSTEM NEW

- XD Center Rigger Mount
- XD Tigress Track<sup>®</sup> telescoping center riggers
- Center rigger rigging kit

PART	MOUNT	OUTRIGGER	<b>RIGGING KIT</b>
88621	XD CENTER	8' SILVER XD	CENTER
88621-1	XD CENTER	8' BLACK XD	CENTER
88622	XD CENTER	12' SILVER XD	CENTER
88622-1	XD CENTER	12' BLACK XD	CENTER

#### **CENTER RIGGER CLAMP-ON SYSTEM**

• Clamp-on center rigger holder 1-1/8" OD base

• Tigress Track<sup>®</sup> telescoping center rigger

• Holder sized to fit 1-5/16" schedule pipe

• Center rigger rigging kit

PART	MOUNT	CLAMP	OUTRIGGER	<b>RIGGING KIT</b>
88121	1-1/8" CLAMP ON	1-5/16″	8' SILVER XD	CENTER
88121-1	1-1/8" CLAMP ON	1-5/16″	8' BLACK XD	CENTER









#### **T-TOP CLAMP-ON TELESCOPING SYSTEM** PUT ABSOLUTELY NO MORE HOLES IN THE GUNNEL OF YOUR BOAT

- Tigress Track<sup>®</sup> telescoping outriggers
- Black mesh carry bag for storage
- T-Top clamp-ons • Premium deluxe rigging kit

PART	MOUNT	CLAMP	OUTRIGGER	RIGGING KIT
89623	1-1/8" CLAMP ON	1-5/16″	15' SILVER XD	DELUXE
89623-1	1-1/8" CLAMP ON	1-5/16″	15' BLACK XD	DELUXE
89624	1-1/2" CLAMP ON	1-11/16″	15' SILVER XD	DELUXE
89624-1	1-1/2" CLAMP ON	1-11/16″	15' BLACK XD	DELUXE

#### **ROD HOLDER/OUTRIGGER TELESCOPING SYSTEM**

#### IDEAL FOR BAY BOATS OR SMALL CENTER CONSOLES

- Tigress Track<sup>®</sup> telescoping outriggers
- Black mesh carry bag for storage
- Rod holder/outrigger holders • Premium deluxe rigging kit

PART	MOUNT	OUTRIGGER	<b>RIGGING KIT</b>
88823	1-1/8″	15' SILVER XD	DELUXE
88823-1	1-1/8″	15' BLACK XD	DELUXE
89924	1-1/2″	15' SILVER XD	DELUXE
89924-1	1-1/2″	15' BLACK XD	DELUXE



#### **ROD HOLDER/OUTRIGGER TELESCOPING SYSTEM**

ECONOMY VERSION OF A TELESCOPING OUTRIGGER SYSTEM

- Economy rigging kit
- 1-1/8" fabricated flush mount outrigger holders
- 1-1/8" fiberglass poles

PART	LENGTH	COLOR	MOUNT
88200-1	15′	WHITE/BLUE	88500

#### **OUTRIGGER LINE HOLDER**

PART 88691

- Fits both 1-1/8" and 1-1/2" Outrigger Poles
- Keeps outrigger lines organized while poles are collapsed
- Easy clamp on installation
- Sold as 2 Pairs

TIGRESS

#### **OUTRIGGER ACCESSORIES**

Stabilize your outriggers in resting position by simply inserting into your existing weld-on rod holder and clipping to your outrigger.

PART	DESCRIPTION
88677	OUTRIGGER STANDOFF
88685	OUTRIGGER CARRY BAG (FITS 15' & 18')

#### **OUTRIGGER** HOLDER REDUCERS DOWNSIZE YOUR OUTRIGGER HOLDERS.

PART	OD	ID
88680	REDUCE FROM 1-1/2"	1-1/8″
88680-1	REDUCE FROM 1-7/8"	1-1/2″
88681	REDUCE FROM 1-5/8"	1-1/2″



#### **OUTRIGGING KITS**

#### **ECONOMY**

#### AFFORDABLE KIT DESIGNED FOR SMALL BOAT RIGGERS UP TO 15'

- Pair of high impact release clips
- Pair of 1-1/4" cork stops
- Pair of glass ring snubbers
- Pair of eye straps with screws

PART	DESCRIPTION
88600	100' OF WHITE NYLON BRAID
88600-1	100' OF BLACK NYLON BRAID

#### **DELUXE PRO**

#### THE PRO'S CHOICE

- Pair of high impact release clips
- Pair of 1-1/4" cork stops
- Pair of stainless ring snubbers
- Pair of eye straps with screws
- 4 leader snaps

PART	DESCRIPTION
88602-1	100' OF BLACK NYLON BRAID
88602-2	100' OF 400 LB. BLACK MONO & 8 CRIMPS

#### ULTIMATE

FOR DOUBLE RIGGING YOUR OUTRIGGERS FOR RIGGERS UP TO 22'

- 2 pairs of EZ release clips
- 2 pairs of 1-3/4" cork stops
- Pair of double swivel snubbers
- Pair of eye straps with screws
- 8 leader snaps

PART	DESCRIPTION
88605	200' OF BLACK NYLON BRAID
88605-1	200' OF 400 LB. BLACK MONO & 12 CRIMPS

#### **CENTER RIGGER KIT**





All kits feature top quality materials and are ready to be installed. Each kit includes clips, mounting hardware, cord, snubbers, glass rings or snaps and pulleys.

DELUXE	
TOP QUALITY KIT	

- Pair of high impact release clips
- Pair of 1-1/4" cork stops
- Pair of glass ring snubbers
- Pair of eye straps with screws
- 4 leader snaps



т	DESCRIPTION	
)1	100' OF BLACK NYLON BRAID	
)2	100' OF 400 LB. BLACK MONO & 4 CRIMPS	
	<b>T</b> 01 02	100' OF BLACK NYLON BRAID

#### ELITE

#### TOP OUALITY KIT

- Pair of EZ release clips
- Pair of 1-3/4" cork stops
- Pair of single swivel snubbers
- Pair of eye straps with screws
- 4 leader snaps



PART	DESCRIPTION
88603	100' OF BLACK NYLON BRAID
88603-1	100' OF 400 LB. BLACK MONO & 4 CRIMPS

#### TRIPLE

FOR TRIPLE RIGGING YOUR OUTRIGGERS FOR RIGGERS UP TO 35'

- 3 pairs of EZ release clips
- 3 pairs of 1-3/4" cork stops
- Pair of triple swivel snubbers
- Pair of eye straps with screws
- 12 leader snaps

• • • • *	
	ļ

PART	DESCRIPTION
88606	300' OF BLACK NYLON BRAID
88606-1	300' OF 400 LB. BLACK MONO & 8 CRIMPS


#### **COMPLETE TAG LINE KIT**

• Hi-polished 316 Stainless Steel tag line weight with 1/4" rubber bumper to protect your boat

- 35' of 400 lb. black mono
- Cork stops
- 316 Stainless Steel snaps
- (2) #64 rubber bands

PART	DESCRIPTION
88642	TAG LINE WEIGHT
88644	TAG LINE KIT

#### **OUTRIGGING ACCESSORIES**



#### **SNUBBERS**


TYPE	PART	DESCRIPTION
А	88620	12" ECONOMY SNUBBER
В	88624	16" DELUXE SNUBBER
В	88624-1	6" DELUXE SNUBBER
С	88624-6	12" DELUXE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
С	88624-7	18" DELUXE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
D	88628	16" DELUXE PRO SNUBBER
E	88632	16" ELITE SNUBBER
E	88632-1	6" ELITE SNUBBER
F	88634	16" ELITE PRO SNUBBER W/STAINLESS SNAP
G	88635	6" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
G	88635-1	12" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
G	88635-2	18" ELITE SNUBBER W/BALL BEARING COASTLOCK SWIVEL
Н	88636	12" ELITE SNUBBER W/PLASTIC SNAP
Н	88636-1	18" ELITE SNUBBER W/PLASTIC SNAP
I	88639	18" TRIPLE SNUBBER W/STAINLESS SNAP



#### ACCESSORIES

TYPE	PART	DESCRIPTION
А	88630	SINGLE STAINLESS SWIVEL
В	88640	DOUBLE STAINLESS SWIVEL
С	88641	TRIPLE STAINLESS SWIVEL
D	88650	PAIR OF GLASS OUTRIGGER RING
Е	88652	PAIR OF 1-1/4" CORK STOPS
F	88654	PAIR OF 1-3/4" CORK STOPS
G	88656	PAIR OF OUTRIGGER RELEASE CLIF
Н	88657	DOWN RIGGER RELEASE CLIP
I	88659	FLAT LINE RELEASE CLIP
J	88660	PAIR OF STAINLESS STEEL RINGS
К	88664	PAIR OF 316 STAINLESS SNAPS
L	88666	PAIR OF NICKEL PLATED SNAPS
М	88667	PAIR OF STAINLESS PAD EYES W/STAINLES
Ν	88668	ANTENNA FLAG CLIP
0	88669	HALYARD FLAG CLIP
Р	88670	100' OF 400 LB. TEST BLACK MONO (DIA.
Q	88671	100' OF 300 LB. BLACK NYLON BRA
Q	88672	100' OF 375 LB. WHITE NYLON BRA
R	88678	PLANER RELEASE ASSEMBLY
S	88690	PAIR OF 1-1/4" BLACK PLASTIC STO
Т	88695	EZ OUTRIGGER RELEASE CLIPS (BLA
U	88697	PORTABLE RELEASE CLIP
V	88642	TAG LINE WEIGHT







#### **OVAL HEAD GUNNEL ROD HOLDERS**

MEDIUM AND LARGE OVAL GUNNEL ROD HOLDERS

PART	LENGTH	ANGLE	ID	_ (
88525	9"	30° HEAD	1-5/8"	HEAD
88527	9"	0° HEAD	1-5/8"	
88529	9"	15° HEAD	1-5/8"	SIZE
	BACK	KING PLATE: 88	525-1	
PART	LENGTH	ANGLE	ID	

PART	LENGTH	ANGLE	ID	ω
88530	10-1/2"	30° HEAD	1-7/8"	.85" x HEAD
88532	10-1/2"	0° HEAD	1-7/8"	
88534	10-1/2"	15° HEAD	1-7/8"	4.88" SIZE
	BACK	ING PLATE: 88	530-1	


#### **SWIVEL ROD HOLDERS**

MEDIUM AND LARGE OVAL GUNNEL ROD HOLDERS

PART	LENGTH	ANGLE	ID
88520	10-1/2"	30° HEAD	1-7/8"
88522	10-1/2"	0° HEAD	1-7/8"
88524	10-1/2"	15° HEAD	1-7/8"
	BACK	ING PLATE: 88	530-1

PART	LENGTH	ANGLE	ID	
88520XL	12-1/2"	30° HEAD	1-7/8"	
88522SM	10-1/2"	0° HEAD	1-7/8"	
88522XL	12-1/2"	0° HEAD	1-7/8"	
88524XL	12-1/2"	15° HEAD	1-7/8"	
88524SM	10-1/2"	15° HEAD	1-7/8"	
	BACK	ING PLATE: 88	530-3	

TIGRESS OUTRIGGERS & GEAR





#### **ROUND HEAD CLOSED BASE**

HEAVY DUTY WITH DRAIN HOLE TO ACCEPT 1/4" NPT PIPE TO HOSE FITTING

PART	LENGTH	ANGLE	ID
77900	9"	30° HEAD	1-5/8"
77901	9"	15° HEAD	1-5/8"
77902	9"	0° HEAD	1-5/8"
	BACKING P	LATE: 77900-2	or 88525-1

#### **BLIND MOUNT ROUND HEAD CLOSED BASE**

- Eliminate fastening from the top of flange and enhance the look of your gunnel
- With drain hole to accept 1/4" NPT pipe to hose fitting

PATENT #8,291,636

OVAL HEAD

CAST BAR

PART	LENGTH	ANGLE	ID
77900-1	9"	30° HEAD	1-5/8"
77901-1	9"	15° HEAD	1-5/8"
77902-1	9"	0° HEAD	1-5/8"
	BACKING F	PLATE: 77900-2	or 88525-1



- Eliminate fastening from the top of flange and enhance the look of your gunnel
- Swivel base is designed to be used primarily with bent butt tackle PATENT PENDING

PART	LENGTH	ANGLE	ID
77903	9"	30° HEAD	1-5/8"
77904	9"	15° HEAD	1-5/8"
77905	9"	0° HEAD	1-5/8"
	BACKING P	LATE: 77900-2	or 88525-1

#### **OVAL HEAD CLOSED BASE**

Heavy duty oval head closed end base, with drain hole to accept 1/4" NPT pipe to hose fitting.

PATENT # 8,291,636

PART	LENGTH	ANGLE	ID	
88535	9"	30° HEAD	1-5/8"	
88537	9"	0° HEAD	1-5/8"	
88539	9"	15° HEAD	1-5/8"	
	BACK	ING PLATE: 88	525-1	











ROUND HEAD



SWIVEL BASE



OVAL HEAD




#### **ECONOMY ROD HOLDERS**

<b>PART</b> 77270	ANGLE 0°	<b>SIZE</b> 9" x 1-5/8" ID	DESCRIPTION ECONOMY ROD HOLDER 0°	-					
77271 77273	15° 30°	9" x 1-5/8" ID 9" x 1-5/8" ID	ECONOMY ROD HOLDER 15° ECONOMY ROD HOLDER 30°	NEW		7727	0   77271   77273		MATE 772
	HOLDE NAGE (		316 STA FLARED				ROD RIGGE	ER	
PART Covers rc drainage	NAGE (	CAP NEW 271-01		ROD 8815	HOL			our rods a better	

#### **316 STAINLESS STEEL ADJUSTABLE CLAMP-ON**

- Choose the angle you need while providing the versatility of mounting either horizontally or vertically
- Clamp-on rod holders are sized IPS pipe
- Includes a heavy white vinyl liner




#### **CLAMP-ON ROD HOLDER** 3/4" - 1" ADJUSTABLE

- PART 88176
- Improved version of the old standard rail mount rod holder
- 316 Stainless Steel clamp mechanism with high polished stainless tube
- White vinyl liner for rod protection
- Fits 3/4" and 1" rails
- 9" x 2" OD base
- Rod holder ID 1-5/8'


#### WELD ON ROD HOLDERS

PART	DESCRIPTION
66412	10" WELD ON ALUMINUM FLARED ROD HC
66242	10" WELD ON ALUMINUM FLARED ROD I
66122	10" WELD ON ALUMINUM ROD HOLDER
66262	10" WELD ON ALUMINUM ROD HOLDER V
88147	8.5" WELD ON ALUMINUM SPINNING



## **CONSOLE DOUBLE**

- Internal threaded ¼-20



#### **SIDE MOUNT**

316 STAINLESS STEEL 9" SIDE MOUNT



- Designed for applications where clamp-on or flush mount holders are not practical
- Can be mounted on any vertical flat surface
- White vinyl insert included to protect your rod



#### **SWIVEL SIDE MOUNT**

316 STAINLESS STEEL 9" SWIVEL SIDE MOUNT



- Can be mounted on any vertical flat surface
- White vinyl insert included to protect your rod



#### **TRANSOM MOUNT ROD HOLDERS**

- Constructed of cold drawn anodized aluminum
- Includes white liners to protect your rod
- Available with either 4 or 5 rod holders

PART	LENGTH	DESCRIPTION
88144	35"	FIVE ROD HOLDER
88144-1	28"	FOUR ROD HOLDER





#### **ROD HOLDER ACCESSORIES**



#### **PIPE TO HOSE FITTINGS**



PART	DESCRIPTION
77910	316 STAINLESS STEEL 1/4" IPS
77911	NYLON 1/4" IPS

#### LARGE ROD HOLDER **EXTENDERS**

- Stainless and nylon rod holder extenders to shorten your rod holder to fit your bent butt fishing rod
- We also offer our stainless steel swivel adapter to convert your standard rod holder to a swivel rod holder
- Fits most medium and large rod holders and are 1.51" wide
- Available in 2", 4" & 6"

PART	LENGTH	MATERIAL
88686	6"	STAINLESS STEEL
88686-1	4"	STAINLESS STEEL
88686-2	2"	STAINLESS STEEL
88688	6"	NYLON
88688-1	4"	NYLON
88688-2	2"	NYLON



**BACKING PLATES** 

88525-1


77900-2

PART

77900-2 88525-1

88530-1

88530-3



88530-1

DESCRIPTION

ROUND HEAD BACKING PLATE

MEDIUM BACKING PLATE

LARGE BACKING PLATE UNIVERSAL BACKING PLATE



#### **T-TOP ROD SAFETY STRAPS**

PART	DESCRIPTION
88676	PAIR
88676-1	2 PAIRS

#### **10' SAFETY STRAP**



# 2-1/2" L x 1-1/2" W

88530-3







#### VINYL LINERS FOR ALUMINUM WELD-ON ROD HOLDERS COLOR WHITE BLACK WHITE BLACK WHITE BLACK

PART	DESCRIPTION	C
88152-3	FOR 8-1/2" FLARED ROD HOLDERS	,
88152-4	FOR 8-1/2" FLARED ROD HOLDERS	
88152-5	FOR 10" FLARED ROD HOLDERS	,
88152-6	FOR 10" FLARED ROD HOLDERS	
LINERSRH3	FOR SRH-3 UV PROTECTED PVC	,
LINERSRH4	FOR SRH-3 UV PROTECTED PVC	

#### VINYL LINERS FOR GUNNEL ROD HOLDERS

PART	ANGLE	COLOR	LENGTH
77900-3	30°	BLACK	9"
77901-3	0°	BLACK	9"
77902-3	15°	BLACK	9"
77900-4	30°	WHITE	9"
77901-4	0°	WHITE	9"
77902-4	15°	WHITE	9"
88530-00	0°	BLACK	10-1/2"
88530-15	15°	BLACK	10-1/2"
88530-30	30°	BLACK	10-1/2"
88530-2	0°	WHITE	10-1/2"

#### **CUP HOLDERS**







ALL 10-1/2" VINYL INSERTS ARE FOR 88520 AND 88530 SERIES ROD HOLDERS

#### **KITE ROD HOLDERS AND CLUSTERS**

#### GS FIVE ROD CLUSTER NEW

**PART** 88157-2

- Smaller, more compact than our original Five Banger
- Designed to increase your rod storage capacity
- Constructed of cold drawn high polished anodized aluminum



#### GS TRIDENT NEW

- Smaller, more compact than our original Triple Kite Rods
- Used for one kite rod and two additional rods to increase your rod storage capacity and keep them up and out of the way
- Constructed of cold drawn anodized aluminum
- Available in either bent butt or straight

PART	DESCRIPTION
88160	TRIDENT ROD HOLDER - BENT BUTT
88160-1	TRIDENT ROD HOLDER - STRAIGHT BUTT

**FIGE** 

#### FIVE BANGER

- Designed to increase your rod storage capacity from 1 to 5 and keep your fishing rods in easy reach
- Constructed of cold drawn high polished anodized aluminum
- Tube ID 1-5/8" Base OD 1-1/2"



PART	DESCRIPTION
88157	FIVE ROD CLUSTER - STRAIGHT BUTT
88157-1	FIVE ROD CLUSTER - BENT BUTT

#### GS OFFSET TRIPLE WITH CUP HOLDERS NEW

- This quality rod holder can be used for rod storage and is most useful in kite fishing
- Cup holders allow for holding rigging tools as well as a drink
- Constructed of anodized aluminum and white liner to protect rods

PART	DESCRIPTION
88148	OFFSET TRIPLE WITH CUP HOLDER - PORT SIDE (AS SHOWN)
88148-1	OFFSET TRIPLE WITH CUP HOLDER - STARBOARD SIDE



#### **OFFSET TRIPLE KITE ROD**

**PART** 88149-1

- Triple offset can be used port or starboard
- Additional rod storage or for kite fishing
- Constructed of anodized aluminum
- Tube ID 1-7/8" Base OD 1-1/2"







#### **TRIPLE KITE ROD**

- Rod holder is used for 1 kite rod and 2 additional rods to increase your rod storage capacity and keep them up and out of the way
- Constructed of cold drawn high polished anodized aluminum
- Tube ID 1-5/8" Base OD 1-1/2"



PART	DESCRIPTION
88156	TRIPLE KITE ROD HOLDER - BENT BUTT BRUSHED
88158	TRIPLE KITE ROD HOLDER - BENT BUTT POLISHED
88159	TRIPLE KITE ROD HOLDER - STRAIGHT BUTT POLISHED

#### **DUAL KITE ROD**

88154

PART

- Designed to increase your rod storage capacity, or use one side for your kite rod and the other for your fishing rod
- Constructed of cold drawn high polished anodized aluminum
- Tube ID 1-5/8" Base OD 1-1/2"



**KITES** 





#### **SPECIALTY LITE WIND KITE**

**PART** 88607-2

- Will exceed all of your expectations and fly steady in 5-10 mph winds with a simple adjustment to the bridle, eliminating the need to use different kites for different winds
- Lightweight spars are constructed of 100% carbon graphite
- Includes extra 5th spar

#### **ALL PURPOSE KITE**



- Sturdy and dependable, will fly steady in 10-15 mph winds with a simple adjustment to the bridle, eliminating the need to use different kites for different winds
- Lightweight spars are constructed of 100% carbon graphite
- Includes extra 5th spar

#### **HI-VELOCITY KITE**



- Flies steady in winds of 15 mph and up
- 4 holes in the custom fabric body for passage of air through the face of the kite, allowing it to fly at higher velocity winds
- Lightweight spars are constructed of 100% carbon graphite
- Includes extra 5th spar

#### **KITE STORAGE BAG**



- Keeps your kites dry and in excellent condition
- Lightweight and waterproof
- Easy access to your assembled kites
- 4 Velcro straps on back to easily secure to your boat









#### **KITE ACCESSORIES**



#### KITE LINE I ASSEMBLY

READY RIGGED KITE LINES

#### **PART** 88612

- 250' of 100 lb. Hi Vis Orange 8 strand braid
- Three release clips
- Swivels on reusable spool



#### KITE LINE II ASSEMBLY READY RIGGED KITE LINES

#### **PART** 88613

- 250' of 80 lb. Hi Vis Green 8 strand braid
- Two release clips
- Swivels on reusable spool



#### **KITE CLIPS**

PART	DESCRIPTION
88655	KITE KIT (2 CLIPS, 2 WIND-ON SWIVELS, & 1 COASTLOCK SWIVEL)
88655-1	KITE KIT (3 CLIPS, 3 WIND-ON SWIVELS, & 1 COASTLOCK SWIVEL)
88658	KITE RELEASE CLIP
88658-6	KITE RELEASE CLIP (NO WIRE) SMALL HOLE
88658-7	KITE RELEASE CLIP (NO WIRE) MEDIUM HOLE
88658-8	KITE RELEASE CLIP (NO WIRE) LARGE HOLE
88658-9	KITE RELEASE CLIP

88658-6

#### 88658

5











**KITE LINE III** 

READY RIGGED KITE LINES

88614

• 250' of 50 lb. Hi Vis Yellow 8 strand braid

**ASSEMBLY** 

PART

• Two release clips

• Swivels on reusable spool

## 88658-9



#### KITE ASSEMBLY BOX

EVERYTHING YOU NEED FOR A COMPLETE 2 KITE SETUP

PART	88619

- 1 water resistant kite box
   3 Non-Weighted Small Kite Line Markers
- 20 rigging bands
- 10 beads
- 10-1/4 oz lead10 split shots
- 3 Weighted Medium Kite Line Markers
- 2 each, small, medium and large hole kite clip
- 2 rigging needles

#### **KITE BRAID**

2000 YARDS EACH

- Perfect for spooling kite or deep drop reels
- Super strong 8 strand braid
- Abrasion resistance and low water absorption

COLOR	WEIGHT	PART
HI VIS YELLOW	50LB	80000
HI VIS GREEN	80LB	80001
HI VIS ORANGE	100LB	80002

#### **KITE BALLOONS**

- Two balloons & three clips
- 100% pure latex
- Biodegradable

#### PA1 886 8861

#### **KITE LINE MARKERS**

PART	DESCRIPTION		
88962	NON-WEIGHTED SMALL KITE LINE MARKERS		
88963	WEIGHTED MEDIUM KITE LINE MARKERS		
88964	WEIGHTED LARGE KITE LINE MARKERS		



- 2 Tigress helium balloons
- 2 kite strings
- 10 small, 10 medium, 10 large & 10 snap swivels





RT	COLOR
615	YELLOW
15-1	WHITE




PART	DESCRIPTION
88617	3 LEG KITE STRING
88618	4 LEG KITE STRING







#### **MARINE HARDWARE**





#### **TIGRESS® HEAVY DUTY BEARING STYLE HINGES 300 SERIES HI-POLISHED**

- Hinge sizes 1-1/2" and 2" are standard with no ball bearings
- Hinge sizes 3", 4", 5", and 6" have unique ball bearing pin assembly for easy opening and closing
- Great for cockpit doors

PART	SIZE
21178	1-1/2" x 1-1/2"
21180	2" x 2"
21184	3" x 3"
21188	4" x 4"
21192	5" x 5"
21196	6" x 6"
	•

## **316 STAINLESS STEEL GIMBALS** MAXIMUM STRENGTH AND BUILT TO WITHSTAND THE RIGORS OF OFFSHORE FISHING

PART	DESCRIPTION
88550	FLAT CHAIR GIMBAL (FOUR-WAY SWIVEL FOR MOUN UNDER BASE OF CHAIRS) 3-1/8" H X 4-1/8" W
88552	TUBULAR CHAIR GIMBAL (FOUR-WAY SWIVEL TUBULAR MOUNT FITS 1" CHAIR TUBING)
105550	FIGHTING CHAIR GIMBAL

#### **GRIP RAILS**

POLISHED & ANODIZED ALUMINUM

PART	LENGTH
GR-12	12"
GR-14	14"
GR-18	18"
GR-24	24"
GR-36	36"



#### **FIBERGLASS ELECTRONICS STORAGE BOXES**

- Stainless Lock
- 1/2" thick door & frame
- 1 Gas Shock

PART	SIZE	DESCRIPTION
88651	24" W x 15" D x 10" H	SMALL, BLACK FAC
88653	30" W x 17" D x 11" H	LARGE, BLACK FAC







#### **PREMIUM REEL HANGERS**

- Gold anodized spring loaded bracket holds reel in harness lugs
- Rod tip end rotates to lock in the rod and store it up and out of the way
- Available for most Penn and Shimano reels



PART	DESCRIPTION
88703	30TW, 30SW, 30STW PENN, TLD 50 SHIMANO, VSW30 (2.823)
88710	30W TIAGRA (2.970)
88711	50 TIAGRA (2.891)
88712	50WLRS TIAGRA, 50W, 130H/S PENN, TBM 80/130 SHIMANO (3.678)
88713	80W TIAGRA (4.387)
88714	130 TIAGRA (4.308)
88715	TLD 25/30 II SHIMANO (2.213)
88725	ADJUSTABLE REEL HANGER (ONE SIZE FITS MOST REELS)



#### **PREMIUM ROD HANGERS**


- To accommodate hanging your rods up and out of the way with the rod butt and tip
- Rod hangers available in anodized aluminum, silver, gold, black and polished stainless steel
- Dimensions: Closed End = 1.55" & Open End = .60"

PART	COLOR	
88544	SILVER ANODIZED	
88545	GOLD ANODIZED	
88546	BLACK ANODIZED	
88547	POLISHED 316 STAINLESS STEEL	











#### **PIPE SIZE CHART**

	ACTUAL PIPE DIAMETER	FRACTIONAL PIPE O.D. (APPROXIMATE)	PIPE CIRCUMFERENCE
1	1.050	1-1/16"	3-5/16"
2	1.315	1-5/16"	4-1/8"
3	1.660'	1-21/32"	5-7/32"
4	1.900	1-7/8"	5-31/32"
5	2.375	2-3/8"	7-15/32"

90

Measure from this point.

#1

#2

20

CUT OUT CIRCUMFERENCE MEASURING TAPE, ALONG DOTTED LINE, AND WRAP AROUND PIPE TO DETERMINE YOUR PIPE SIZE.

# OUTRIGGERS & GEAR

2230 4th Avenue North | Lake Worth, FL 33461 tigress@easternmetal.com | 844-740-1260

TIGRESSOUTRIGGERS.COM | 🛉 🐻 🔠

A Division of Eastern Metal Supply



